

1-1 システムマルチ室外ユニット一覧..... 1-1-1

1-2 システムマルチ室内ユニット一覧..... 1-2-1

■ビル用マルチエアコン 高効率 UX6

相当馬力	品番		冷房能力 (kW)	暖房能力 (kW)	室内ユニット 最多接続 台数 (台)	外観	
8	CU-P224UX6	標準単独ユニット	22.4	25.0	20	①	
10	CU-P280UX6		28.0	31.5	25		
12	CU-P335UX6		33.5	37.5	30		
14	CU-P400UX6		40.0	45.0	36		
16	CU-P450UX6		45.0	50.0	40		
	組み合わせ品番	構成ユニット					
18	PA-P500UX6	CU-P224UX6 CU-P280UX6	50.0	56.0	45	③	
20	PA-P560UX6	CU-P280UX6 CU-P280UX6	56.0	63.0	50		
22	PA-P615UX6	CU-P280UX6 CU-P335UX6	61.5	69.0	55		
24	PA-P670UX6	CU-P335UX6 CU-P335UX6	67.0	77.5	60		
26	PA-P730UX6	CU-P335UX6 CU-P400UX6	73.0	82.5	64		
28	PA-P775UX6	CU-P335UX6 CU-P450UX6	77.5	90.0			
30	PA-P850UX6	CU-P400UX6 CU-P450UX6	85.0	95.0	⑤		
32	PA-P900UX6	CU-P450UX6 CU-P450UX6	90.0	100			
34	PA-P950UX6	CU-P280UX6 CU-P335UX6 CU-P335UX6	95.0	106	⑥		
36	PA-P1000UX6	CU-P335UX6 CU-P335UX6 CU-P335UX6	100	112			
38	PA-P1060UX6	CU-P335UX6 CU-P335UX6 CU-P400UX6	106	118	⑦		
40	PA-P1120UX6	CU-P335UX6 CU-P335UX6 CU-P450UX6	112	125			
42	PA-P1180UX6	CU-P335UX6 CU-P400UX6 CU-P450UX6	118	132	⑧		
44	PA-P1220UX6	CU-P335UX6 CU-P450UX6 CU-P450UX6	122	140			
46	PA-P1280UX6	CU-P400UX6 CU-P450UX6 CU-P450UX6	128	145	⑨		
48	PA-P1360UX6	CU-P450UX6 CU-P450UX6 CU-P450UX6	136	150			
50	PA-P1400UX6	CU-P280UX6 CU-P335UX6 CU-P335UX6 CU-P450UX6	140	156	⑩		
52	PA-P1450UX6	CU-P335UX6 CU-P335UX6 CU-P335UX6 CU-P450UX6	145	160			
54	PA-P1500UX6	CU-P335UX6 CU-P335UX6 CU-P400UX6 CU-P450UX6	150	165	⑪		

■ビル用マルチエアコン ハイグレード UXP6

相当馬力	品番		冷房能力 (kW)	暖房能力 (kW)	室内ユニット 最多接続台数 (台)	外観	
8	CU-P224UXP6	標準単独ユニット	22.4	25.0	20	①	
10	CU-P280UXP6		28.0	31.5	25		
12	CU-P335UXP6		33.5	37.5	30		
14	CU-P400UXP6		40.0	45.0	36		
16	CU-P450UXP6		45.0	50.0	40		
	組み合わせ品番	構成ユニット					
18	PA-P500UXP6	CU-P224UXP6 CU-P280UXP6	50.0	56.0	45	③	
20	PA-P560UXP6	CU-P280UXP6 CU-P280UXP6	56.0	63.0	50		
22	PA-P615UXP6	CU-P280UXP6 CU-P335UXP6	61.5	69.0	55		
24	PA-P670UXP6	CU-P335UXP6 CU-P335UXP6	67.0	77.5	60		
26	PA-P730UXP6	CU-P335UXP6 CU-P400UXP6	73.0	82.5	64	④	
28	PA-P775UXP6	CU-P335UXP6 CU-P450UXP6	77.5	90.0		⑤	
30	PA-P850UXP6	CU-P400UXP6 CU-P450UXP6	85.0	95.0			
32	PA-P900UXP6	CU-P450UXP6 CU-P450UXP6	90.0	100		⑥	
34	PA-P950UXP6	CU-P280UXP6 CU-P335UXP6 CU-P335UXP6	95.0	106			
36	PA-P1000UXP6	CU-P335UXP6 CU-P335UXP6 CU-P335UXP6	100	112			
38	PA-P1060UXP6	CU-P335UXP6 CU-P335UXP6 CU-P400UXP6	106	118		⑦	
40	PA-P1120UXP6	CU-P335UXP6 CU-P335UXP6 CU-P450UXP6	112	125			
42	PA-P1180UXP6	CU-P335UXP6 CU-P400UXP6 CU-P450UXP6	118	132		⑧	
44	PA-P1220UXP6	CU-P335UXP6 CU-P450UXP6 CU-P450UXP6	122	140			
46	PA-P1280UXP6	CU-P400UXP6 CU-P450UXP6 CU-P450UXP6	128	145		⑨	
48	PA-P1360UXP6	CU-P450UXP6 CU-P450UXP6 CU-P450UXP6	136	150			

■ビル用マルチエアコン ハイグレード（高 COP タイプ） UXP6Y

相当馬力	品番		冷房能力 (kW)	暖房能力 (kW)	室内ユニット 最多接続 台数 (台)	外観	
6	CU-P224UXP6Y	標準単独ユニット	16.0	18.0	14	①	
8	CU-P280UXP6Y		22.4	25.0	20		
10	CU-P335UXP6Y		28.0	31.5	25		
12	CU-P400UXP6Y		33.5	37.5	30		
	組み合わせ品番	構成ユニット					
12	PA-P335UXP6Y	CU-P160UXP6Y CU-P160UXP6Y	33.5	37.5	30	③	
14	PA-P400UXP6Y	CU-P160UXP6Y CU-P224UXP6Y	40.0	45.0	35		
16	PA-P450UXP6Y	CU-P224UXP6Y CU-P224UXP6Y	45.0	50.0	40		
18	PA-P500UXP6Y	CU-P160UXP6Y CU-P160UXP6Y CU-P160UXP6Y	50.0	56.0	45	④	
20	PA-P560UXP6Y	CU-P160UXP6Y CU-P160UXP6Y CU-P224UXP6Y	56.0	63.0	50		
22	PA-P615UXP6Y	CU-P160UXP6Y CU-P224UXP6Y CU-P224UXP6Y	61.5	69.0	55		
24	PA-P670UXP6Y	CU-P224UXP6Y CU-P224UXP6Y CU-P224UXP6Y	67.0	77.5	60		
26	PA-P730UXP6Y	CU-P224UXP6Y CU-P224UXP6Y CU-P280UXP6Y	73.0	82.5	64	⑤	
28	PA-P775UXP6Y	CU-P160UXP6Y CU-P280UXP6Y CU-P335UXP6Y	77.5	90.0		⑥	
30	PA-P850UXP6Y	CU-P224UXP6Y CU-P280UXP6Y CU-P335UXP6Y	85.0	95.0			
32	PA-P900UXP6Y	CU-P224UXP6Y CU-P335UXP6Y CU-P335UXP6Y	90.0	100			
34	PA-P950UXP6Y	CU-P280UXP6Y CU-P335UXP6Y CU-P335UXP6Y	95.0	106		⑦	
36	PA-P1000UXP6Y	CU-P335UXP6Y CU-P335UXP6Y CU-P335UXP6Y	100	112			

■オフィス・店舗用マルチエアコン UL6

相当 馬力	品番		冷房 能力 (kW)	暖房 能力 (kW)	室内 ユニット 最多接続 台数(台)	外観
4	CU-P112UL6	標準単独ユニット	10.0	11.2	2～7	
5	CU-P140UL6		12.5	14.0	2～9	
6	CU-P160UL6		14.0	16.0	2～10	

形式	相当馬力	冷房能力 (kW)	暖房能力 (kW)	4方向天井カセット形	4方向天井カセット形	4方向天井カセット形	2方向天井カセット形
							
22形	0.8	2.2	2.5				CS-EP22L7U
28形	1.0	2.8	3.2	CS-EP28U7U			CS-EP28L7U
36形	1.3	3.6	4.2	CS-EP36U7U			CS-EP36L7U
45形	1.6	4.5	5.0	CS-EP45U7U			CS-EP45L7U
56形	2.0	5.6	6.3	CS-EP56U7U	CS-EP56U7DU	CS-P56U6DU	CS-EP56L7U
71形	2.5	7.1	8.0	CS-EP71U7U	CS-EP71U7DU	CS-P71U6DU	CS-EP71L7U
80形	3.0	8.0	9.0	CS-EP80U7U	CS-EP80U7DU	CS-P80U6DU	CS-EP80L7U
90形	3.2	9.0	10.0	CS-EP90U7U	CS-EP90U7DU	CS-P90U6DU	CS-EP90L7U
112形	4.0	11.2	12.5	CS-EP112U7U	CS-EP112U7DU	CS-P112U6DU	CS-EP112L7U
140形	5.0	14.0	16.0	CS-EP140U7U	CS-EP140U7DU	CS-P140U6DU	CS-EP140L7U
160形	6.0	16.0	18.0	CS-EP160U7U	CS-EP160U7DU	CS-P160U6DU	CS-EP160L7U
224形	8.0	22.4	25.0				
280形	10.0	28.0	31.5				

形式	相当馬力	冷房能力 (kW)	暖房能力 (kW)	1方向天井カセットスリム形	1方向天井カセット形	天井ビルトインカセット形	ビルトインオールダクト形
							
22形	0.8	2.2	2.5	CS-EP22DS7(M)U	CS-P22DM6U	CS-P22F6U	
28形	1.0	2.8	3.2	CS-EP28DS7(M)U	CS-P28DM6U	CS-P28F6U	CS-P28FE6U(L)
36形	1.3	3.6	4.2		CS-P36DM6U	CS-P36F6U	CS-P36FE6U(L)
45形	1.6	4.5	5.0			CS-P45F6U	CS-P45FE6U(L)
56形	2.0	5.6	6.3			CS-P56F6U	CS-P56FE6U(L)
71形	2.5	7.1	8.0			CS-P71F6U	CS-P71FE6U
80形	3.0	8.0	9.0			CS-P80F6U	CS-P80FE6U
90形	3.2	9.0	10.0			CS-P90F6U	CS-P90FE6U
112形	4.0	11.2	12.5			CS-P112F6U	CS-P112FE6U
140形	5.0	14.0	16.0			CS-P140F6U	CS-P140FE6U
160形	6.0	16.0	18.0			CS-P160F6U	CS-P160FE6U
224形	8.0	22.4	25.0				
280形	10.0	28.0	31.5				

形式	相当馬力	冷房能力 (kW)	暖房能力 (kW)	天井吊形	壁掛形	ペリメーター用 床置形	ペリメーター用 床置埋込形
							
22 形	0.8	2.2	2.5				
28 形	1.0	2.8	3.2		CS-P28K6U	CS-P28P6U	CS-P28PM6U
36 形	1.3	3.6	4.2	CS-EP36T7U	CS-P36K6U	CS-P36P6U	CS-P36PM6U
45 形	1.6	4.5	5.0	CS-EP45T7U	CS-P45K6U	CS-P45P6U	CS-P45PM6U
56 形	2.0	5.6	6.3	CS-EP56T7U	CS-P56K6U	CS-P56P6U	CS-P56PM6U
71 形	2.5	7.1	8.0	CS-EP71T7U	CS-P71K6U	CS-P71P6U	CS-P71PM6U
80 形	3.0	8.0	9.0	CS-EP80T7U		CS-P80P6U	CS-P80PM6U
90 形	3.2	9.0	10.0	CS-EP90T7U			
112 形	4.0	11.2	12.5	CS-EP112T7U			
140 形	5.0	14.0	16.0	CS-EP140T7U			
160 形	6.0	16.0	18.0	CS-EP160T7U			
224 形	8.0	22.4	25.0				
280 形	10.0	28.0	31.5				

形式	相当馬力	冷房能力 (kW)	暖房能力 (kW)	床置ダクト形	天吊形厨房用 エアコン
					
80 形	3.0	8.0	9.0		CS-P80V6U
90 形	3.2	9.0	10.0		
112 形	4.0	11.2	12.5		CS-P112V6U
140 形	5.0	14.0	16.0		CS-P140V6U
160 形	6.0	16.0	18.0		
224 形	8.0	22.4	25.0	CS-P224BD6U	
280 形	10.0	28.0	31.5	CS-P280BD6U	

形式	相当馬力	冷房能力 (kW)	暖房能力 (kW)	天井埋込形 ハイフレッシュ
				
170 形	8.0	22.4	21.2	CS-EP170XE7U
210 形	10.0	28.0	26.5	CS-EP210XE7U